

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. IDENTIFICATION OF SUBSTANCE

| PRODUCT NAME | | | Rugged Si70 |
|----------------------|--|----------------|--|
| PRODUCT USE | | | Silicone Roof Coating |
| USES ADVISED AGAINST | | | No specific uses advised against are identified. |
| SUPPLIER IDEN | TIFICATION | | Rugged Coatings 2720 Southeastern Cir Birmingham, AL 35215 |
| EMERGENCY TE | LEPHONE | | (205) 440-4996 |
| 2. HAZAR | D(S) IDENTIFIC | ATION | |
| GHS CLASSI | FICATIONS: | | |
| Skin Irritatior | Category | 2 | |
| | ation Category | 1 | |
| Reproductive | Toxicity Category | 2 | |
| Chronic Aqua | tic Toxicity | 3 | |
| Eye Irritation | Category | 2A | |
| HAZARD STA | TEMENTS | | |
| H315 | Causes skin irritat | ion | |
| H317 | May cause an alle | rgic skin reac | tion |
| H319 | Causes serious eye irritation | | |
| H351 | Suspected of causing cancer | | |
| H412 | May cause long lasting harmful effects to aquatic life | | |
| H335 | May cause respiratory irritation | | |
| GHS PRECAU | ITIONS | | |
| P201 | Obtain special instructions before use | | |
| P202 | Do not handle unti read and understo | | ecautions have been |
| P261 | Avoid breathing d | ust/fume/gas | s/mist/vapors/spray |
| P264 | Wash hands thoro | ughly after ha | andling |
| P270 | Do not eat, drink c | or smoke whe | n using this product |
| P271 | Use only outdoors or in a well-ventilated area | | |
| P272 | Contaminated wor of the workplace | k clothing sh | ould not be allowed out |
| P273 | Avoid release to th | ne environme | nt |
| P280 | Wear protective gl protection/face pr | | ive clothing/eye |
| GHS RESPON | ISE STATEMENTS | | |
| P321 | Specific treatment Aid measures) | is urgent (se | e Section 4 First |
| P330 | Rinse mouth | | |
| P363 | Wash contaminate | ed clothing be | fore reuse |
| P301+P312 | IF SWALLOWED: C physician if you fe | | CENTER or doctor/ |
| P302+P352 | | Wash with so | ap and water |

| P308+P313 | IF exposed or concerned: Get medical advice/attention | | |
|--|---|---|--|
| P333+P313 | lf skin irrita advice/atte | ation or a rash occurs: Get medical ntion | |
| P362+P364 | Take off cor reuse | ntaminated clothing and wash it before | |
| P305+P351+P338 | IF IN EYES rinse cautiously with water for several minutes. Remove contact lenses if present and continue rinsing | | |
| GHS STORAGE STATEMENTS | | | |
| P403+P233 | Store i na well-ventilated place. Keep container tightly closed. | | |
| P405 | Store locke | d up | |
| GHS DISPOSAL ST | TATEMENT | | |
| P501 | Dispose of contents/container in accordance with existing federal, state, and local environmental control laws. | | |
| LABEL ELEMENTS | ; | | |
| PICTOGRAM | | \land | |
| • | | | |
| SIGNAL WORD | | Warning | |
| ACUTE TOXICITY | | | |
| | | | |
| EYES | | May cause irritation & burns | |
| EYES SKIN | | May cause irritation & burns Minor potential for irritation | |
| | | | |
| SKIN | | Minor potential for irritation | |
| SKIN | RAVATED | Minor potential for irritation Liquid may cause irritation | |
| SKIN INHALATION INGESTION | | Minor potential for irritation Liquid may cause irritation May cause irritation & burns Unknown Prolonged or repeated skin contact | |
| SKIN INHALATION INGESTION CONDITIONS AGG CHRONIC EFFECT | S | Minor potential for irritationLiquid may cause irritationMay cause irritation & burnsUnknownProlonged or repeated skin contact may cause skin reactions. | |
| SKIN INHALATION INGESTION CONDITIONS AGG CHRONIC EFFECT | S | Minor potential for irritation Liquid may cause irritation May cause irritation & burns Unknown Prolonged or repeated skin contact | |
| SKIN INHALATION INGESTION CONDITIONS AGG CHRONIC EFFECT | S | Minor potential for irritationLiquid may cause irritationMay cause irritation & burnsUnknownProlonged or repeated skin contact may cause skin reactions. | |
| SKIN INHALATION INGESTION CONDITIONS AGG CHRONIC EFFECT 3. COMPOSITIO | S N/INFORM tes | Minor potential for irritationLiquid may cause irritationMay cause irritation & burnsUnknownProlonged or repeated skin contact may cause skin reactions. | |
| SKIN INHALATION INGESTION CONDITIONS AGG CHRONIC EFFECT 3. COMPOSITIO MIXTURES Petroleum Distillar CAS number: 6474 Silica, Amorphous CAS number: 3724 | S N / I N F O R M tes 2-47-8 , Fumed, Cry 4-96-5 | Minor potential for irritation Liquid may cause irritation May cause irritation & burns Unknown Prolonged or repeated skin contact may cause skin reactions. ATION ON INGREDIENTS 10 - <20% | |
| SKIN INHALATION INGESTION CONDITIONS AGG CHRONIC EFFECT 3. COMPOSITIO MIXTURES Petroleum Distillar CAS number: 6474 Silica, Amorphous | S N / I N F O R M tes 2-47-8 , Fumed, Cry 4-96-5 "- Trioxime | Minor potential for irritation Liquid may cause irritation May cause irritation & burns Unknown Prolonged or repeated skin contact may cause skin reactions. ATION ON INGREDIENTS 10 - <20% | |
| SKIN INHALATION INGESTION CONDITIONS AGG CHRONIC EFFECT 3. COMPOSITIO MIXTURES Petroleum Distillar CAS number: 6474 Silica, Amorphous CAS number: 3724 2-Butanone,0,0', 0 (Methylsilylidyne) | S N / I N F D R M tes 2-47-8 , Fumed, Cry 4-96-5 "- Trioxime 4-54-9 | Minor potential for irritation Liquid may cause irritation May cause irritation & burns Unknown Prolonged or repeated skin contact may cause skin reactions. ATION ON INGREDIENTS 10 - <20% | |

0 - <6%

1

<1%

Octamethylcyclotetrasiloxane

N-(3-(Trimethoxysilyl)-1,2-ethanediamine

CAS number: 1336-21-6

CAS number: 1760-24-3



COMPOSITION COMMENTS

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reporductive toxins, or respiratory sensitizers).

4. FIRST-AID MEASURES

| GENERAL INFO | If symptoms ensue, move to fresh air. If breathing is difficult, give oxygen. |
|--------------------|---|
| INGESTION | Consult physician. |
| SKIN CONTACT | Clean affected area with soap and plenty of water. |
| EYE CONTACT | Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if present and easy to do so, and continue rinsing. |
| NOTES TO DUVSICIAN | Tract symptometically |

NOTES TO PHYSICIAN Treat symptomatically

5. FIRE-FIGHTING MEASURES

| FLAMMABLE LIMITS | Not Established. |
|--|--|
| EXTINGUISHING MEDIA | |
| Suitable extinguishing media | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| Unsuitable extinguishing | Do not use water jet as an extinguisher, as this will spread the fire. media |
| SPECIAL HAZARDS ARISING FROM TH | IE SUBSTANCE OR MIXTURE |
| Specific hazards | Containers can burst violently or explode when heated, due to excessive pressure build-up. |
| Hazardous combustion products | Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. |
| ADVICE FOR FIREFIGHTERS | |
| Protective actions during firefighting | Avoid breathing fire gases or vapors. Evacuate area. Keep upwind to avoid inhalation of gases, vapors, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. |
| Special protective equipment | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate for firefighters protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents. |

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

| Person-Related Safety Precautions | Avoid contact with skin and eyes. |
|---------------------------------------|---|
| ENVIRONMENTAL PRECAUTIONS | |
| Measures for Environmental Protection | Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations. |
| Small Spills | Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e g. cloth, fleece) clean surface thoroughly to remove residual contamination. |
| Large Spills | Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non- combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. |

7. HANDLING AND STORAGE

Information for Safe Handling Storage Requirements

Regulatory Requirements

Avoid contact with skin or inhalation.

 Store in dry, well ventilated area. Avoid contact with moisture. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.

 Store according to all local, state, and federal regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| CHEMICAL NAME / CAS NO. | OSHA EXPOSURE LIMITS | ACGIH EXPOSURE LIMITS | OTHER EXPOSURE LIMITS |
|---|--|---|-----------------------|
| Petroleum Distillates 64742-47-8 | 10 mg/m³ | 10 mg/m³ | 10 mg/m³ |
| Amorphous Fumed Silica Crystal-free 112945-52-5 | Not Established | Not Established | Not Established |
| 2-Butanone, 0,0',0"-(methylsilylidyne) trioxime 22984-54-9 | Not Established | Not Established | Not Established |
| Titanium dioxide 13463-67-7 | 15 mg/m³ TWA (total dust) | 10 mg/m3 TWA | 10 mg/m³ |
| N-(3-(Trimethoxysilyl)-1,2-ethanediamine 1760-24-3 | Not Established | Not Established | Not Established |
| Engineering Controls: | eering Controls: No special measures required. | | |
| Protective and Hygienic Measures: | Usual precautionary measures should be adhered to when handling chemicals. | | chemicals. |
| Personal Protective Equipment: | | | |
| Respiratory Protection: | None required if work area is properly ventilated. | | |
| Hand Protection: | Protective butyl rubber or nitrile rubber gloves. | | |
| Eye Protection: | Chemical safety goggles. | | |
| Body Protection: | Impervious protective work clothing. Launder separately. | | |
| Contaminated Gear: | Observe local requirements. Disp | se of in accordance with local/state/federal regulations. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| Appearance: | Various colored liquid | Odor: | Mild |
|---------------------------|------------------------|----------------------------|-------------------------|
| Vapor Pressure: | N/A | Odor threshold: | N/A |
| Vapor Density: | N/A | pH: | N/A |
| Specific Gravity | 1.30 | Melting point: | N/A |
| Freezing point: | N/A | Solubility: | N/A |
| Boiling range: | 2230 - 3000°C | Flash point: | >200°F,93°C |
| Evaporation rate: | N/A | Flammability: | N/A |
| Explosive Limits: | N/A | Partition coefficient | N/A (n- octanol/water): |
| Autoignition temperature: | N/A | Decomposition temperature: | N/A |

10. STABILITY AND REACTIVITY

| STABILITY | Product is stable. |
|--------------------------------------|---|
| INCOMPATIBLE MATERIALS: | Avoid contact with moisture, strong acids, strong bases, oxidizing and reducing agents. |
| HAZARDOUS POLYMERIZATION: | Not expected to occur. |
| DANGEROUS PRODUCTS OF DECOMPOSITION: | Oxides of carbon, oxides of nitrogen, oxides of silicon. |
| CONDITIONS TO AVOID | Heat and sources of Ignition. |



11. TOXICOLOGICAL INFORMATION

| TOXICITY DATA: Toxicity data is available for this product: | GERM CELL MUTAGENICITY Based on available data, the classification | |
|---|---|--|
| CAS# 13463-67-7 LD50 Acute Oral >10000 mg/kg (Rat) | criteria are not met | |
| CAS# 556-67-2 LD50 Inhalation >12.7 mg/kg/4Hr (Rat) | CARCINOGENICITY Carcinogenicity Category 2 | |
| CAS# 556-67-2 LD50 Acute Oral 1540 mg/kg (Rat) | REPRODUCTIVE TOXICITY Based on available data, the classification criteria are not met | |
| CAS# 556-67-2 LD50 Acute Dermal >2400 mg/kg (Rat) | | |
| ACUTE TOXICITY Based on available data, the classification criteria are not met | STOT-SINGLE EXPOSURE Specific Target Organ Toxicity – Single Exposure (Respiratory Irritation) | |
| SKIN CORROSION / IRRITATION Skin Irritation Category 2 | STOT-REPEATED EXPOSURE Based on available data, the classification criteria are not met | |
| SERIOUS EYE DAMAGE / IRRITATION Eye Irritation Category 2A | ASPIRATION HAZARD Aspiration hazard category 1 | |
| RESPIRATORY OR SKIN SENSITIZATION Skin Sensitization Category 1 | | |

12. ECOLOGICAL INFORMATION

TOXICITY: No specific data is currently available on this product's effects on aquatic life, however release of this product may have long term effects on the aquatic environment.

PERSISTENCE AND DEGRADABILITY: No specific data available on this product.

BIOACCUMULATIVE POTENTIAL: No specific data available on this product.

MOBILITY IN SOIL: No specific data available on this product.

RESULTS OF PBT AND VPVB ASSESMENT: No specific data available on this product.

OTHER ADVERSE EFFECTS: No specific data available on this product.

WATER ENDANGERMENT CLASS: Not believed to be water endangering in accordance with EU Guideline 91/155-EWG.

AT PRESENT THERE ARE NO ECOTOXICOLOGICAL ASSESSMENTS FOR THIS PRODUCT.

13. DISPOSAL CONSIDERATIONS

Recommendation:Observe local requirements. Dispose of in accordance with local/state/federal regulations.Empty Container Precautions:Recondition or dispose of empty container in accordance with governmental regulations. If container is to be
disposed, ensure all product residues are removed and container is empty prior to disposal.

14. TRANSPORT INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION. This product has been tested to the ASTM D-4206 Standard and determined that it does not sustain combustion. As result it is exempt from regulations when shipped ground or rail within the U.S.A.

PROPER SHIPPING NAME: Non-Regulated when shipped ground or rail with U.S.A.

HAZARD CLASS NUMBER AND DESCRIPTION: None

UN IDENTIFICATION NUMBER: None

PACKING GROUP: None

DOT LABEL(S) REQUIRED: None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2016): None

MARINE POLLUTANT: This product's ingredients that are not classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B) TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: This product is not classified as Dangerous Goods, per regulations

of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

This product is not classified as Dangerous Good by International Air Transport.

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

HARMONIZED TARIFF CODE: Not Listed





15. REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None.

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312: Acute Health: Yes Chronic Health: Yes Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this

product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

WARNING! This product can expose you to chemicals such as Titanium Dioxide, which is known to the State of California to cause cancer. For more information, go to WWW.P65Warning.ca.gov.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of thisproduct is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Classified per WHMIS 2015

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION: Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details. AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed

or exempt from listing on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI. INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed or exempt from listing

Australian Inventory of Chemical Substances (AICS): Listed or exempt from listing

Korean Existing Chemicals List (ECL): Listed or exempt from listing

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed or exempt from listing

Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed or exempt from listing

Swiss Giftliste List of Toxic Substances: Listed or exempt from listing

U.S. TSCA: Listed

